

RK1500C

1D CCD Barcode Scanner



一、 Features

1. No Driver, plug and play.
2. 32 bit processor, More fast than 8 bit and 16 bit barcode scanners.
3. Continuous scanning/manual trigger,very comfortable operating.
4. Support reading bar codes from screen.
5. Application fields: Supermarket,Retail,Healthcare,Logistics,Communication,Clothing industry, Power Industry, Kiosk,Locker, Factory assembly line.
6. Can be customized according to customer demand.

二、 Technical parameters

| | |
|-----------------------|--|
| Product Specification | 1D CCD Barcode Scanner |
| CPU | ARM 32-bit Cortex |
| Optical Source | 620nm Visible red light diode |
| Resolution Ratio | 1500 pixel |
| Imaging Sensor | CCD |
| Trigger Mode | continuous scanning/manual trigger |
| Indication | Buzzer & LED |
| width of scan | 5-30cm |
| depth of scan | 2-50cm |
| Decoding Speed | 200 times/second |
| Interface | USB,RS232 |
| Resolution | 4mil |
| Decoding Capability | Code128,EAN-13,EAN-8,Code39,UPC-A,UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar etc |
| Max.Power | 700mw |
| Working Voltage | DC5V |
| Storage Temperature | -40°C ~ 60°C |
| Working Temperature | 0°C ~ 50°C |
| Relative Humidity | 0 ~ 95% |
| Drop test | 2.0m fall to concrete |
| Certificate | CE,FCC,RoHS,IP54 |

三、 Packaging Details

- Standard list: Scanner*1, Cable *1, Manual *1, Leather Box *1.
- Single package size: 185*120*85mm
- Single gross weight: 0.25kg
- 30pcs/CTN Carton Size: 438*380*380mm
- 30pcs/CTN Carton G.W.:8.5Kg, N.W:7.5Kg

四、Product Pictures

